ECO FLUID CURRENT TRANSFORMER

Current Transformers utilizing **eco-friendly insulation fluid** provide accurate and reliable current transformation, measurement, merging proven safety with eco-friendliness.

550 kV / 5000 A





ECO FLUID CURRENT TRANSFORMER

CHARACTERISTICS

- For voltage levels up to 550 kV
- Rated primary current up to 5000 A
- Paper ester internal insulation

APPLICATIONS AREAS

- Replacement for equivalent mineral oil-filled products – thanks to the same dimensions
- Water protection areas
- Underground substations

SUSTAINABILITY

REGENERA™ is our holistic approach to protecting ecosystems, fostering environmental harmony and promoting a circular economy.



REGENERA™

Bar-Type Primary Conductor

Outer Part

Cores/Windings



MAIN FEATURES

Eco-sustainable and proven design



Improved Operational Safety

The higher flashpoint of the ester increases the fire safety of the CT.



High Voltage Insulation

High-quality paper and an ester liquid are used to create high-voltage insulation, with fine-graded bushings optimizing the electrical field inside and outside the product.



Environmental

The use of ester as an insulator reduces the risk of environmental damage. The fluid is biodegradable according to OECD 301, improving the environmental balance throughout the product life cycle.



Modular Design

Modular design eliminates the need for a wide range of components.



Proven Design

Trench's Eco Fluid Current Transformers are based on a globally established insulation medium technology with many years of proven performance.



Hermetically Sealed

In all operating conditions, a stainless-steel base bellow allows the liquid volume to change and the internal pressure to remain the same as the ambient pressure.



PRODUCT APPLICATIONS

INSIDE THE PRODUCT

Main components of the Eco Fluid Current Transformer

Secure, environmentally friendly and maintenace-free! Modular Ester CTs reduce time and cost by increasing reliability and simplifying the replacement of mineral oil-filled CTs.



PROVEN DESIGN

Ecofluid CTs are manufactured to our world renowned and tested design. Thousands of CTs are in use around the world often in harsh environments fully satisfying the requirements of our customers.



ROUTINE TESTS

The company's test laboratory carries out all standard tests in accordance with international standards




INSULATOR

Depending on the application, the customer is free to choose between a porcelain or composite insulator.



SEALED CONSTRUCTION

The use of metal bellows to regulate the liquid level prevents oxidation of the fluid.



EXTERNAL DIMENSIONS

Ester CTs are the same size and weight as the mineral oil-insulated CTs listed in our product catalog. Replacement with ester insulated transformers is therefore very quick and easy.





THE **FUTURE**OF ENERGY IS **NOW**AND IT'S **EXTRAORDINARY**

THE CRUCIAL ROLE
OF POWER TRANSMISSION

Our vision of a sustainable future starts with an eco-friendly portfolio of high voltage products and systems, brought to you by our dedicated team of global innomakers.

Our mission is to support our customers, from power generation through transmission and distribution to the electricity consumers, in their transition to clean energy and a greener world.











Get in touch:Contact our experts via email sales@trench-group.com



Trench Group www.trench-group.com

©Trench Group 2024. All right reserved. Specifications are subject to change without notice

