ECO FLUID INDUCTIVE VOLTAGE TRANSFORMER 550 kV

Inductive Voltage Transformers utilizing **eco-friendly insulation fluid** provide accurate
and reliable voltage transformation, measurement,
merging proven safety with eco-friendliness.





ECO FLUID INDUCTIVE VOLTAGE TRANSFORMER

CHARACTERISTICS


- For Voltage levels up to 550 kV
- Fully type-tested according to International Standards
- Paper Eco Fluid internal insulation

GENERAL

- Replacement for equivalent mineral conventional fluid-filled products – thanks to the same dimensions
- Water protection areas
- Underground substations

SUSTAINABILITY

REGENERA™ is our holistic approach to protecting ecosystems, fostering environmental harmony and promoting a circular economy.



MAIN FEATURES

Eco Fluid Inductive Voltage Transformers ensure accurate and reliable voltage transformation – eco-friendly, proven, and safe.



Environmental

The use of Eco Fluid as an insulator reduces the risk of environmental damage. The fluid is biodegradable according to OECD 301, improving the environmental balance throughout the product life cycle.



High Voltage Insulation

The high-Voltage insulation is made by the use of high quality paper and an Eco Fluid. Fine graded bushings ensure that the electric field is optimised inside and outside the Transformer.



Proven Design

Trench Eco Fluid instrument Transformers are based on our conventional and proven insulation, well known worldwide since long time.



Hermetically Sealed

In all operating conditions, a stainless steel bellow allows the liquid volume to change and the internal pressure to remain the same as the ambient pressure.



Seismic

The higher flashpoint of the Eco Fluid increases the fire safety of the transformer.



Modular Design

Modular design eliminates the need for a wide range of components.



PRODUCT APPLICATIONS

INSIDE THE PRODUCT FAMILY

Designs of Eco Fluid Voltage Transformers

Trench's Eco Fluid Insulated Instrument Transformers reduce the risk of environmental damage, thanks to an insulation fluid classified as "readily biodegradable" according to OECD 301.



VMTa

Trench Eco Fluid Inductive Voltage
Transformers for a Voltage level up
to 72.5 kV.



UT5
Trench Eco Fluid Inductive Voltage
Transformer for the North American
Market.



Trench Eco Fluid Inductive Voltage Transformers for a Voltage level up to 300 kV.



VEOSTrench Eco Fluid Inductive Voltage
Transformer for a Voltage level higher than 300 kV


THE FUTURE OF ENERGY IS NOW AND IT'S EXTRAORDINARY

THE CRUCIAL ROLE
OF POWER TRANSMISSION

Our vision of a sustainable future starts with an eco-friendly portfolio of high voltage products and systems, brought to you by our dedicated team of global innomakers.

Our mission is to support our customers, from power generation through transmission and distribution to the electricity consumers, in their transition to clean energy and a greener world.











Get in touch:Contact our experts via email sales@trench-group.com



Trench Group www.trench-group.com

©Trench Group 2024. All right reserved. Specifications are subject to change without notice

